### Q1 Economy Name

Answered: 3 Skipped: 0


#	RESPONSES	DATE
1	Canada	11/15/2018 8:34 AM
2	New Zealand	10/15/2018 10:08 AM
3	Chinese Taipei	10/8/2018 6:44 PM

## Q3 Organisation responsible for the testing prepackaged goods within your economy

Answered: 3 Skipped: 0


#	RESPONSES	DATE
1	Shared - Measurement Canada, Competition Bureau and Canadian Food Inspection Agency	11/15/2018 8:34 AM
2	Trading Standards - Ministry of Business, Innovation & Employment	10/15/2018 10:08 AM
3	Butrau of Standards, Metrology and Inspection, M.O.E.A	10/8/2018 6:44 PM

### Q4 Determine the inspection lot to be sampled using random sampling in accordance with Clause 4.4 of OIML R87.



ANSWER C	HOICES	RESPONSES		
Fully aligns		33.33%		1
Partially alig	ns	33.33%		1
Does not ali	gn	33.33%		1
TOTAL				3
#	NONE OF ABOVE (PLEASE SPECIFY)		DATE	
	There are no responses.			

### Q5 Determine a sample size appropriate for the inspection lot from Column 2 of Table 2 within OIMLR 87.




ANSWER CHOICES	RESPONSES	
Fully aligns	0.00%	0

Partially aligns	33.33%	1
Does not align	66.67%	2
TOTAL		3

#	NONE OF ABOVE (PLEASE SPECIFY)	DATE
1	The new version of R87 has slightly different sample sizes. TS envisage that our Regulations will be amended to mirror these changes.	10/15/2018 10:25 AM


### Q6 Determine a sample size appropriate for the inspection lot from Annex H within OIML R 87.



ANSWER CHOICES	RESPONSES	
Fully aligns	0.00%	0
Partially aligns	0.00%	0
Does not align	100.00%	3
TOTAL		3

#	NONE OF ABOVE (PLEASE SPECIFY)	DATE
1	This is a new sampling plan to R87, introduced by the 2016 edition. TS envisage that our Regulations will be amended to mirror these changes.	10/15/2018 10:25 AM


Q7 Determine the appropriate T1 and T2 values. Determine the tolerable deficiency (T) appropriate for the nominal quantity of the prepackages, according to Clause 3.4 and Table 1 within OIML R 87.



ANSWER CHOICES	RESPONSES	
Fully aligns	66.67%	2
Partially aligns	33.33%	1
Does not align	0.00%	0
TOTAL		3

#	NONE OF ABOVE (PLEASE SPECIFY)	DATE
	There are no responses.	


Q8 Determine the number of prepackages allowed to exceed the tolerable deficiency. Determine the number of prepackages allowed to exceed the tolerable deficiency from Column 3 of Table 2 of OIML R87.



ANSWER CHOICES	RESPONSES	
Fully aligns	0.00%	0
Partially aligns	33.33%	1

Does no	ot align	66.67%		2
TOTAL				3
ш	MONE OF ADOVE (DI FACE OPECIEV)		DATE	
#	NONE OF ABOVE (PLEASE SPECIFY)		DATE	
1	NZ Regulations are more lenient allowing slightly more packages.		10/15/2018 10:25 AM	


### Q9 Determine the Average TareMass (ATM) by using the procedures in Annex B of OIML R 87.



ANSWER CHOICES	RESPONSES	
Fully aligns	66.67%	2
Partially aligns	33.33%	1
Does not align	0.00%	0
TOTAL		3

#	NONE OF ABOVE (PLEASE SPECIFY)	DATE
	There are no responses.	


Q10 Determine the individual prepackage error. Determine the actual quantity of the product and subtract from it the nominal quantity (Qn) of product to calculate the individual prepackage error, as per Clause 2.1.2.2 of OIML R 87.



ANSWER CHOICES	RESPONSES	
Fully aligns	100.00%	3
Partially aligns	0.00%	0
Does not align	0.00%	0
TOTAL		3

#	NONE OF ABOVE (PLEASE SPECIFY)	DATE
	There are no responses.	


Q11 Determine if the test results meet the individual prepackage requirements. Compare each negative individual prepackage error obtained to the values for T. 1) Reject the lot if the number of prepackages having a T1 error is larger than the number in Column 3 of Table 2, as per 4.3.2 of OIML R 87, and / or 2) Reject the lot if the number of prepackages having a T2 error is larger than zero, as per 4.3.3 of OIML R 87, the sample fails.



ANSWER CHOICES	RESPONSES	
Fully aligns	66.67%	2
Partially aligns	33.33%	1
Does not align	0.00%	0
TOTAL		3

#	NONE OF ABOVE (PLEASE SPECIFY)	DATE
	There are no responses.	


Q12 Determine if the test results meet the average prepackage requirement. If the average actual quantity of all prepackages, after the Sample Correction Factor (SCF) (Column 4 of Table 2) is applied, is less than the nominal quantity of the prepackages being sampled, the sample fails (see 3.2 of OIML R 87)



Fully aligns	33.33%	1
Partially aligns	33.33%	1
Does not align	33.33%	1
TOTAL		3

#	NONE OF ABOVE (PLEASE SPECIFY)	DATE
1	The new version of R87 has slightly different correction factors. TS envisage that our Regulations will be amended to mirror these changes.	10/15/2018 10:25 AM


Q13 Determine the number of pre-packages allowed to exceed the tolerable deficiency. Determine the number of pre-packages allowed to exceed the tolerable deficiency from column 3 of Table 2 of OIML R87.



ANSWER CHOICES	RESPONSES	
Fully aligns	0.00%	0
Partially aligns	66.67%	2
Does not align	33.33%	1
TOTAL		3

#	NONE OF ABOVE (PLEASE SPECIFY)	DATE
1	NZ Regulations are more lenient allowing slightly more packages.	10/15/2018 10:25 AM


Q14 Determine the average tare weight. Determine the average tare weight by using the procedures in Annex B of OIML R 87.



ANSWER CHOICES	RESPONSES	
Fully aligns	66.67%	2
Partially aligns	33.33%	1
Does not align	0.00%	0
TOTAL		3

#	NONE OF ABOVE (PLEASE SPECIFY)	DATE
	There are no responses.	

# Q15 Determine the individual pre-package error. Determine the actual quantity of the product and subtract from it the nominal quantity (Qn) of product to calculate the individual pre-package error.



ANSWER CHOICES	RESPONSES		
Fully aligns	66.67%	2	
Partially aligns	33.33%	1	

Does not align 0.00%				0
TOTAL				3
#	NONE OF ABOVE (PLEASE SPECIFY)		DATE	
	There are no responses.			